



KALALEA

TECH RIDER

STAGE- Kalalea Fire and LED shows do not require a raised stage, shows can be produced on grass, dance floors, hard packed sand and raised stages. Area needs to be level and free from cables and obstructions. Minimum stage sizes are as follows; Soloist- 10 'x 8', Duet- 16 'x 12', Trio- 24 'x 16', Four dancer - 24 'x 16' (LED 24' x 20"), Five dancer- 24' x 24', Seven dancer shows 24 'x 24'. Stage space is essential to the safe execution of shows. If the proper amount of space is not available, please let us know in advance, as we must modify the show. No railing on stage, if railings are required, the stage size must be bigger than above requirements by four feet on each side that the railings are present. If sharing a stage with a band, the required space needs be free of all monitors, mic stands, drum risers, podiums and other equipment. All cables onstage and between safety station and stage must be securely taped down or covered. Soft, deep sand requires a dance floor or similar to be in place. For fire shows, 25' clearance between show and audience. Fire show stage area must be free and clear of any fabric or decor overhead.

Stage right exit and entry- Kalalea prefers stage right entry and exit with the safety station on stage right (audience left). If a left entry is to be used the group needs to be notified a minimum of one week prior, in advance of their final rehearsal. A layout of the event is required one week in advance.

SAFETY STATION- Minimum of 12' x 12', situated close to stage right entry/exit, maximum distance from stage is 20'. Safety station should have some type of shield so guests do not see the gear and "back-stage" transitions. Every 45 seconds, the fire or LED implements on stage will change with dancers rotating on and off stage. Fire dancers exit with full flame and the implements need to be extinguished by the safety tech. LED implements are extremely bright, off-stage gear can be a distraction for guests. Safety area needs to be used by Kalalea team exclusively during the show period and for ten minutes leading up to and after each show. Security should be provided to ensure that audience members do not enter the safety station during a performance.

AV- Show soundtrack will be available to FOH. Kalalea does not provide sound. AV and operators must be provided by the venue / client. House lights should be lowered during shows for the maximum effect.

DRESSING ROOMS- The client agrees to provide a secure dressing room / green room for Kalalea's use during the call time. The room should be well-lit, have adequate tables, chairs, mirrors, a water station, electrical outlets and access to restrooms. The dressing rooms are to remain available to Kalalea after the performance for thirty minutes. Client shall make reasonable efforts to keep all unauthorized persons from entering this area, particularly while the group is performing.

SHOW TIMES- Clients may break up stage show into two parts if desired, or a series of solos. Solo performance requires a minimum of 15 minutes off after each 15-minute set. A total of four 15-minute sets maximum. Longer solo sets are available by written mutual agreement of both parties.